

1135P

SAFETOUCH HEAVY POWDER-FREE NITRILE GLOVE CAT III Personal Protective Equipment & Class I Medical Device

FEATURES & BENEFITS

- Good dexterity.
- Excellent grip in both wet and dry conditions due to textured fingers.
- Provides great protection and flexible “latex-like” comfort.



Recommendations:


- Users allergic to latex.
- Glove for professional use.
- In the healthcare environment, this glove is used to make barrier against microorganisms between the healthcare professional, the patient and their environment.
- In an industrial environment, this glove is designed to protect the wearer from tested chemicals (including chemotherapy medicines), radioactive particles and microorganisms (bacteria, molds and viruses).
- The powder-free glove reduces the risk of airborne contamination and limits the risk of irritation.

PRODUCT DESCRIPTION

Product name :	MEDICOM - SafeTouch Heavy - Glove
Product type :	Single use, non-sterile
Material :	Nitrile
Colour :	Light Blue
Shape :	Ambidextrous
Cuff :	Beaded
Surface :	Textured fingertips
Length :	≥ 240 mm
Thickness (palm/finger/cuff)	0,11 mm/0,14mm/0,11mm ± 0,02mm
Powder free :	Yes
Weight (M) :	7 g
Country of origin :	Malaysia

Item	Size	
1135P-A	6	XS
1135P-B	7	S
1135P-C	8	M
1135P-D	9	L
1135P-E	10	XL

Marking on
packaging:



INDUSTRIES

Industry / Chemistry / Petrochemistry / Health / Medical / Cancerology / Hygiene / Maintenance /
Cleaning / Cleanroom / Laboratory / Pharma / Research

1135P SAFETOUCH HEAVY POWDER-FREE NITRILE GLOVE

CAT III Personal Protective Equipment & Class I Medical Device

CERTIFICATION AND STANDARDS

Manufactured under an ISO 13485 and ISO 9001 certified quality system.

In accordance with requirements of Reg (EU) 2017/745, on medical devices.

Comply with the standards EN 455-1/2/3/4 for single use medical gloves.

In accordance with requirements of Reg (EU) 2016/425 on personal protective equipments.

Comply with the EN ISO 21420, EN ISO 374-1/2/4/5, for protective gloves against tested chemicals and microorganisms including viruses, EN 421 and ASTM D6978-05.

Tested chemicals	CAS N°	Letter	Permeation (performance level)
n-Heptane	142-82-5	J	2 (> 30 min)
Sodium hydroxide 40%	1310-73-2	K	6 (> 480 min)
Hydrogen Peroxide 30%	7722-84-1	P	3 (> 60min)
Formaldehyde 37%	50-00-0	T	6 (> 480 min)

☞ See the information leaflet for the performance of chemotherapy drugs, according to ASTM D6978-05.

PRECAUTIONS BEFORE USE

The glove must be used on intact skin only.

For single use only, do not reuse.

Please refer to your national legislation on the subject of disposal of this product once it has been used.

STORAGE CONDITIONS

Normal conditions of conservation & storage: not to be exposed to moisture and sun, store in a cool environment or at room temperature.

Shelf life of the product: 5 years

LOGISTIC INFORMATION



Specifications outer case



Specifications inner case

Colour code inner & outer

Item	Size mm	Gross weight kg	QTY/ pallet	Size mm	QTY	Colour
1135P-A	465 x 270 x 235	7,5	54	225 x 130 x 90	10 x 100	
1135P-B	465 x 270 x 235	8	54	225 x 130 x 90	10 x 100	
1135P-C	465 x 270 x 235	8,50	54	225 x 130 x 90	10 x 100	
1135P-D	465 x 270 x 235	9	54	225 x 130 x 90	10 x 100	
1135P-E	465 x 270 x 235	9,5	54	225 x 130 x 90	10 x 100	

LOGISTIC INFORMATION (Cont.)

 EAN Codes

Items	Outer case	Inner case
1135P-A	3 662 036 023 223	3 662 036 023 179
1135P-B	3 662 036 023 230	3 662 036 023 186
1135P-C	3 662 036 023 247	3 662 036 023 193
1135P-D	3 662 036 023 254	3 662 036 023 209
1135P-E	3 662 036 023 261	3 662 036 023 216