

M24101N-40 Medical mask with ties-on - Type II - Anti-glare strip - Kolmi® Feeldry
Medical Device Class I

FEATURES & BENEFITS

- Protects the environment from droplets emitted by the wearer
- Effective against bacteria, particles and viruses (BFE, PFE, & VFE)
- Kolmi® masks feature the exclusive Origami folding for greater comfort and a perfect fit on the wearer's face.
- Featuring a wide and ultra-flexible nose strip, they ensure an excellent fit to the face and effectively limit leakage around the nose, thereby significantly reducing fogging.
- For maximum comfort, the inner layer is designed with a material that limits irritation to the face.
- With Feeldry technology the inner layer has been specially designed to absorb perspiration and avoid the feeling of humidity inside the mask.
- Hypoallergenic.
- The anti-glare strip reduces the risk of glare in operating rooms. Additionally, it provides an extra barrier against fogging, especially during prolonged exhalation.
- **NEW PACKAGING : Each tie-on is folded under each mask for convenient and tidy single removal.**




RECOMMENDED USE

- For use by medical staff in operating theatres or in areas of high light intensity.
- Medical masks can also be worn by patients and others to reduce the risk of spreading infection, particularly in epidemic or pandemic situations.

PRODUCT DETAILS

| | |
|------------------|-------------------------|
| Product name : | Kolmi® Feeldry Type II |
| Product type : | Single use, non sterile |
| Fasteners : | Ties-on |
| Nose piece : | Polypropylene and steel |
| Size : | 95 x 175 mm |
| Unit weight : | 3,9 g |
| Quantity / box : | 60 masks |
| Origin : | France |

| Item | Color |
|------------|--|
| M24101N-40 |  Blue |

CERTIFICATIONS & STANDARDS

Meet the requirements of Regulation (EU) 2017/745 on medical devices.
 Meets applicable requirements of EN 14683:2025*.
 Manufacturing site: ISO 9001 and ISO 13485 certification.

MICROBIOLOGICAL INFORMATION

Assessment of initial microbial contamination according to standards EN 14683:2025* & ISO 11737:2018+A1:2021.

Additional microbiological controls: ASR, E.coli, Staphylococci, available upon request.

EN 14683:2025*

| TEST | STANDARD | REQUIRED LEVEL | LABORATORY | REPORT N° & DATE | AVERAGE RESULTS |
|---|----------------|-----------------|------------|---------------------------|-----------------|
| Bacterial Filtration Efficiency : BFE | EN 14683:2025* | ≥ 98% (Type II) | Centexbel | 22.00553.01 09/02/2022 | 98,7 % |
| DELTA P | EN 14683:2025* | ≤ 200 Pa | Centexbel | | 108,3 Pa |
| Particles Filtration Efficiency 0,1 µm : PFE | ASTM F2299 | No requirements | Nelson | 1393992-S01 12/03/2021 | 99,6 % |
| Viral Filtration Efficiency : VFE | ASTM F2101 | No requirements | Nelson | 1362439-S01 22/12/2020 | 98,7 % |

* based on testing to EN14683:2019 + AC:2019

PRECAUTIONS

The mask must be used on intact skin only.

The reuse or extended use may lead to infection or cross-contamination.

Please refer to your national legislation on the subject of disposal of this product once it has been used.

STORAGE CONDITIONS

Normal conditions of conversation & storage: not to be exposed to moisture and sunlight, must be stored at room temperature.

Shelf life of the product: 5 years.

PACKAGING MARKING



* Do not use if package is damaged

LOGISTICS



Outer case spec.

| Item | Size (mm) | Gross weight (kg) | QTY/pallet |
|------------|-----------------|-------------------|------------|
| M24101N-40 | 400 x 400 x 178 | 2,1 | 54 |

Inner box spec.

| Size (mm) | Gross weight (g) | Packaging |
|-----------------|------------------|--------------------|
| 192 x 125 x 165 | 289 | 6 boxes x 60 masks |

EAN Codes

| Item | Outer case | Inner Box |
|------------|-------------------|-------------------|
| M24101N-40 | 3 701 407 400 291 | 3 701 407 400 284 |